

User's Manual

BOUNTY HUNTER® **JUNIOR** **Target I.D.**



Use:
(2) AA **ALKALINE** batteries.

DO NOT USE

- Heavy Duty Batteries.
- Zinc Carbon Batteries


See our YouTube video
for easy step-by-step instructions
www.youtube.com/user/BountyHunter1465

TERMINOLOGY

The following terms are used throughout this manual and are standard terminology among detectorists.

RELIC

A relic is an object of interest by reason of its age or its association with the past. Many relics are made of iron, but can also be made of bronze or precious metals.



IRON

Iron is a common low-grade metal that is an undesirable target in certain metal detecting applications. Examples of undesirable iron objects are old cans, pipes, bolts and nails. Sometimes, the desired target is made of iron. Property markers for instance, contain iron. Valuable relics can also be composed of iron; cannon balls, old armaments and parts of old structures and vehicles can also be composed of iron.

FERROUS

Metals which are made of, or contain iron.

ELIMINATION

Reference to a metal being "eliminated" means that the detector will not emit a tone, nor display a Target-ID icon when a metal object passes through the searchcoil's detection field.

DISCRIMINATION

When the detector emits different tones for different types of metals, and when the detector "eliminates" certain metals, we refer to this as the detector "discriminating" among different types of metals.

Discrimination is an important feature of professional metal detectors. Discrimination allows the user to ignore trash and otherwise undesirable objects.

PINPOINTING

Pinpointing is the process of finding the exact location of a buried object. Long-buried metals can appear exactly like the surrounding soil, and can therefore be very hard to isolate from the soil.

GROUND CANCELATION


Ground Cancellation is the ability of the detector to ignore, or "see through," the earth's naturally occurring minerals, and only sound a tone when a metal object is detected. This detector incorporates proprietary circuitry to eliminate false signals from many mineralized soils.

To get the most enjoyment from your Metal Detector, we suggest you do the following:

1. Use two AA **ALKALINE** batteries only.
 - Do not use Heavy Duty batteries.
 - Do not use ordinary Zinc-Carbon Batteries.

Rechargeable batteries can also be used. If you use rechargeables, we recommend using "Nickel Metal Hydride" rechargeable batteries.


2. Use your detector **OUTDOORS** only.
 - Large metal objects inside the home may interfere with the detector's operation. Floors and walls of most homes contain metal objects such as nails, pipes, wires, ductwork, etc.
 - Electrical appliances inside the home, like microwave ovens, televisions, and some light fixtures emit electromagnetic energy which can interfere with the detector's operation.
 - Do not place coins on the floor of your home and try to detect.
Try this test outside only.
 - If conducting an indoor demonstration, hold the searchcoil off the floor and wave coins over the center of the searchcoil.



Installing Batteries

Use two AA **ALKALINE** batteries only!

1. Remove the battery door from the front of the detector.
2. Use two AA **ALKALINE** batteries.
Do not use Heavy Duty or ordinary Zinc Carbon batteries.
3. Install batteries with polarity marking as shown.
4. Replace the battery door.



BATTERY DISPOSAL & RECYCLING

Alkaline batteries may be disposed of in a normal waste receptacle or recycled. Non-Alkaline batteries should be recycled. In the state of California all battery types must be recycled. Please refer to local municipalities for detailed disposal and recycling requirements.

Quick-Start Demo


Try this quick way to demonstrate the basic features of your metal detector:

I. Supplies Needed


- a. a nail.
- b. a nickel.
- c. a gold ring.
- c. a quarter.

II. Keep the searchcoil away from floors, walls, and metal objects.

One person holds the detector still, so that another can sweep coins under the coil.



III. Turn on the detector. Press-and-hold **ON/OFF** LCD will momentarily illuminate all segments.



IV. Detecting All Types of Metals

- a. Wave each object under the searchcoil. Wave coins flat, parallel to the searchcoil. Notice the tone is loudest as the object passes under the searchcoil center.

Notice the different audio tones for each object.

- b. Pass each object at varying distances from the searchcoil.

Note: 1.) The sound gets louder as the object moves closer to the searchcoil. **2.)** The graphic DEPTH INDICATOR as you vary the target distance from the searchcoil. **3.)** Beyond a certain distance, the object is no longer detected.

V. Eliminating Some Metals


- a. Press **DISC** once. The left icon is disabled.
- b. Wave the nail under the searchcoil and notice it is no longer detected.
- c. Press **DISC** again. The middle icon is disabled.
- d. Wave the nickel and gold ring under the searchcoil and notice that they are no longer detected.

NOTE: Rings can be composed of a variety of metals. If the ring is made of gold it will fall into the middle category.

VI. To turn the detector off, briefly press-and-hold **ON/OFF**.


Adjusting Length

Loosen the tube clamping nut 1/4 turn




Extend the bottom tube assembly

1. Grasp the top tube with one hand.
2. Grasp the searchcoil with the other hand.
3. Pull the two sections apart to slide the bottom tube out of the top.



Establish Tube Length

1. Pivot the searchcoil perpendicular to the tube.
2. Place detector in user's hand, with arm extended.
3. Adjust tube length so that searchcoil rests on the ground, close to the user's feet.
4. Align the searchcoil so it is parallel to the ground.
5. Tighten the tube clamping nut, while holding the searchcoil in place on the ground to prevent twisting of the tube assembly while tightening. Do not over-tighten.
6. Leave approximately 2" of the lower tube inside the upper tube to help maintain rigidity.



Target Identification and Discrimination


The Bounty Hunter Junior T.I.D. metal detector can both identify buried metals by category, and eliminate unwanted metals from detection.

“Discrimination” refers to the detector’s ability to both identify targets and eliminate them from detection. When a Target ID category has been eliminated from detection, we say it has been “discriminated out.”


Target Identification (T.I.D.)

The Junior T.I.D. can distinguish between three categories of metal targets:


- 1. Ferrous:** this includes many iron targets such as nails, screws, bolts and some large iron objects like horseshoes. The Junior T.I.D. will respond with a low-pitch audio tone and display the ☹️ icon:
- 2. Non-ferrous low conductor:** this includes US nickels, many rings and small jewelry but also includes many trash items such as tin foil, pull tabs, screw caps and bottle caps. The Junior T.I.D. will respond with a medium-pitch audio tone and display the 🤔 icon:
- 3. Non-ferrous high conductor:** This includes most copper and silver coins, as well as modern clad coins. The Junior T.I.D. will respond with a high-pitch audio tone and display the 🌀 icon:



Probably Trash




Could be something good?



The good stuff!

Discrimination Settings

When the Junior T.I.D. is turned on, all three categories are enabled, meaning it will detect all metal targets. By pressing **DISC** button you can eliminate target categories.



Press **DISC** once to eliminate ferrous (iron) targets.



Pressing **DISC** again will also eliminate low conductor non-ferrous targets.



Pressing **DISC** a third time will return the Junior T.I.D. to the default state and detect all metals.

Depth Indicator

Coin-sized objects can be detected up to 6 inches deep. The 3-segment graphic depth indicator is calibrated to coin-sized objects.

The Junior T.I.D. displays target depth with a 3-segment graphic depth indicator and it is calibrated to coin sized objects.

1 segment: 0-2 inch target depth

2 segments: 2-4 inch target depth


3 segments: 4 or more inch target depth



Objects other than coins will still register on the depth scale, but the depth indication will be relative. For example, all 3 segments illuminated could indicate a coin at 4 or more inches deep, but could also be a very large object much deeper.

Low Battery Indicator

When battery power reaches a low condition the Low Battery icon will illuminate **(1)**. When it first appears there is about an hour of battery life remaining. When battery power is close to failing, the icon will flash **(2)**. At this point batteries should be replaced.



Overload Warning


If a large metal object or highly magnetic soil is too close to the searchcoil, the detector will "overload". The screen will blank and you will see a blinking "**Lift Coil**" message. The detector will also emit a pulsing siren audio notification. Overload will not harm the detector, but the detector will not function under these conditions. If overload occurs, raise the searchcoil to detect the target from a greater distance, or move to a different location.



The Basics of Metal Detecting

Make sure the detector tube is adjusted to a comfortable length.


Sweep the searchcoil from side to side in slow, overlapping motions. Keep the searchcoil parallel and close to the ground. Overlap each sweep to get the best possible coverage. The Junior T.I.D. requires searchcoil motion to properly detect buried targets. If the searchcoil is held motionless over a target, the detector will not detect the target.



Sweep the searchcoil in a half-circle movement as illustrated here. Repeat this motion every step you take to guarantee that the area is being covered thoroughly.



Try not to lift the searchcoil at the end of your sweeps. This may be difficult for younger children, but the closer the searchcoil is to the ground throughout the sweep, the more likely you are to find buried metal objects.



You may want to adjust your discrimination during your search, depending on what you are finding. For instance, if you are searching with all three target categories active, you will detect all types of metal objects. If you find that you are in a trashy area with a lot of iron objects, press the DISC button to eliminate the iron category. If you are in a trashy area with a lot of pull tabs and bottle caps, press the DISC button again to eliminate the middle target category.

CAUTION: Be aware that some desirable objects, like nickels and gold, are eliminated from detection in the middle target category range. Gold rings have a metallic signature similar to pull-tabs; nickels have a metallic signature similar to some newer pull tabs. It requires practice and patience to understand what types of objects are eliminated at each setting.


Pinpointing

Accurate pinpointing takes practice and is best accomplished by “X-ing” the suspected target area. A good way to practice this is to lay a coin on the ground (make sure there are no other metal targets nearby) and practice “X-ing” it while listening to the audio. Note, the loudest signal response occurs when the center of the searchcoil is directly over the coin.

1. Once a buried target is identified by a good tone response, continue sweeping the searchcoil over the target in a narrowing side to side pattern.
2. Take visual note of the place on the ground where the “beep” occurs as you move the searchcoil slowly from side to side.
3. Stop the coil directly over this spot on the ground.
4. Now move the searchcoil straight forward and straight back towards you in a similar fashion.
5. Again make visual note of the spot on the ground at which the “beep” occurs.
6. This allows you to “zero in” on the exact spot on the ground at which the “beep” occurs.

REMEMBER: The detector will beep just as the searchcoil passes over the buried object.

If you have difficulty pinpointing very strong signals, try lifting the searchcoil higher off the ground until a weaker, but more concise, signal is heard. For very weak signals, try moving the searchcoil in short quick sweeps, closer to the ground.



When pinpointing a target, try drawing an imaginary “X”, as illustrated, over where the tone is induced.

TREASURE HUNTER'S CODE OF ETHICS:

- Always check Federal, State, County and local laws before searching.
- Respect private property and do not enter private property without the owner's permission.
- Take care to refill all holes and leave no damage.
- Remove and dispose of any and all trash and litter found.
- Appreciate and protect our inheritance of natural resources, wildlife and private property.
- Act as an ambassador for the hobby, use thoughtfulness, consideration and courtesy at all times.
- Never destroy historical or archaeological treasures.
- All detectorists may be judged by the example you set; always conduct yourself with courtesy and consideration of others.

FIRST TEXAS PRODUCTS, LLC 1-YEAR LIMITED WARRANTY

Register your warranty on-line for a chance to win a **FREE DETECTOR**.
For details, visit www.detecting.com

Bounty Hunter Metal Detectors are warranted against defects in workmanship or materials under normal use for one year from date of purchase to the original user. Liability in all events is limited to the purchase price paid.

Liability under this Warranty is limited to replacing or repairing, at our option, any Bounty Hunter Detector returned, shipping cost prepaid, to First Texas Products, LLC. Damage due to neglect, accidental damage or misuse of this product is not covered by this warranty.

Proof of purchase is required to make a claim under this warranty.

NOTE TO CUSTOMERS OUTSIDE THE U.S.A.

This warranty may vary in other countries, check with your distributor for details.
Warranty does not cover shipping costs

According to FCC part 15.21 Changes or Modifications made to this device not expressly approved by the party responsible for compliance could void the users authority to operate this equipment.

This device complies with FCC Part 15 Subpart B Section 15.109 Class B.

Copyright© 2016 by First Texas Products, L.L.C.

All rights reserved, including the right to reproduce this book, or parts thereof, in any form.

Published by First Texas Products, L.L.C.

Bounty Hunter® and Bounty Hunter Junior are registered trademarks of First Texas Products, L.L.C.

www.detecting.com

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Consult the dealer or an experienced radio/TV technician for help.

CE The manufacturer declares that the minimum ESD performance criteria is 1) the unit shall not be permanently damaged and 2) operator intervention is allowed.
This product is RoHS compliant. This product meets the requirements of Industry Canada: CAN ICES-3 B/NMB-3 B.



BOUNTY HUNTER®
METAL DETECTORS

First Texas Products, L.L.C.

1465 Henry Brennan Dr., El Paso, TX 79936

(915) 633-8354 • Fax: (915) 633-8529

Assembled in Mexico Designed in the U.S.A. by First Texas Products
and manufactured to First Texas Products Bounty Hunter® Specifications.



ACCESSORIES

Bounty Hunter® Padded Carry Bag

Rugged double stitched construction. Includes handy exterior pocket for extra batteries or small accessories. *CBAG-W*



Bounty Hunter®

Pouch & Digger Combo –

Pouch with 2 large pockets & 9" heavy duty digging tool. *TP-KIT-W*



Pin Pointer

Pinpoints the exact location of buried metal objects. Audio signal indicator and vibrator. Runs on 1 – 9-Volt Battery. *PIN POINTER-W*



Bounty Hunter® Sand Scoop

Large scoop with filtering holes. Made of strong plastic. *SAND SCOOPBH*




9" Heavy-Duty Digging Tool

Metal blade with comfortable plastic handle and depth gauge. *TROWEL-2*



Digging Tool –

Light and practical plastic, wide blade digging tool. *TROWEL-W*



Bounty Hunter® Baseball Cap –

One size fits all, with Bounty Hunter® logo. *BHCAP*



Bounty Hunter® T-Shirt –

100% cotton with Bounty Hunter® Logo. Sizes – S, M, LG, XL & XXL. *BHTSHIRT*



Gold Prospecting Kits

Items Included:

	Gold Kit PART NUMBER: GOLDKIT1	Deluxe Kit PART NUMBER: GOLDKIT2	Hardrock Kit PART NUMBER: GOLDKIT3
10 1/2" Gold Pan	x	x	x
14" Gold Pan	x	x	x
Classifier		x	x
2 – Shatterproof Vials	x	x	x
Snuffer Bottle	x	x	x
Black Sand Magnet		x	x
Treasure Scoop		x	x
Tweezers			x
Magnifier			x
Crevice Tool			x
Rock Pick			x
Instruction Booklet	x	x	x
Backpack		x	x



FOR COMPLETE DETAILS VISIT WWW.DETECTING.COM • 1-800-413-4131